



EXCELLENCE IN


CONTROLLED BOLTING

SOLUTIONS



HTL 3-in-1 Hydraulic Torque Wrench System

- ✓ Power head body made out of Aircraft quality materials
- ✓ 3 in 1 Tool (Low Profile/ Ultra-Low and Square Drive)
- ✓ Calibrated and accurate to +/- 3%
- ✓ Torque range from 255 to 31,800 lb.ft, 346 to 43,100 Nm
- ✓ Fully interchangeable with some competitor brands
- ✓ Made in the UK



HTL W Torque Wrench
+
HTL-L Low Profile




HTL W Torque Wrench
+
HTL-R Ultra-Low



HTL W Torque Wrench
+
HTL-S Square Drive



HTL-W



DSX Dedicated Square Drive Torque Wrench

- ✓ Patented, easy to use quick release, retained reaction arm
- ✓ Reduced operating costs with high cycle design with fewer moving parts
- ✓ Fully enclosed drive for maximum operator safety
- ✓ Push button quick release, reversible square drive
- ✓ Models from 3/4" sq drive to 2 1/2" sq drive
- ✓ Unique security features: ergonomic handle, positive stop/ retained reaction arm, integrated tether ring



Topside and Subsea Tensioners

- ✓ Designed to fit BS/ANSI/API flanges (Topside)
- ✓ Automatic spring return piston retraction (Topside)
- ✓ Covers bolt ranges from $\frac{3}{4}$ " – $4\frac{1}{2}$ " & M24 - M100 (Topside)
- ✓ Unique patented positive locking system (Subsea)
- ✓ QRN reduces diver fatigue (Subsea)
- ✓ $\frac{3}{4}$ " to $3\frac{1}{2}$ "; M20 to M90 bolt coverage (Subsea)



Wind Tensioners

- ✓ Positive stop to protect seals from over stroke
- ✓ Spring loaded gear driven nut run down
- ✓ $\frac{1}{2}$ " square drive tool run down
- ✓ Port safety guard - optional
- ✓ Stroke limit indicator
- ✓ Cycle counter – optional
- ✓ Cycle limit safety mechanism



Pumps

- ✓ Torque Pumps
- ✓ Tool Pumps
- ✓ Tensioner Pumps
- ✓ Hand Tensioner Pumps
- ✓ Hose Reels & Hoses



Single/ Double Acting Nut Splitters

- ✓ Designed to fit standard BS/ANSI flanges
- ✓ Made in the UK
- ✓ Triple edged exchangeable cutting blade
- ✓ Blade positioning scale to eliminate bolt damage
- ✓ Sizes range from $\frac{3}{4}$ " – $3\frac{1}{2}$ " bolt diameters



Calibration Test & Training Rigs

- ✓ Premium Torque Wrench Calibration Rig
- ✓ Premium Tensioner Test Rig
- ✓ Premium Plus Tensioner Test Rig
- ✓ Combination Torque and Gauge Calibration Rig
- ✓ Hose Test Rig
- ✓ Hand Torque Calibration Rig
- ✓ ECITB Approved Training Rig





Lubricants

- ✓ HTL Pro-Tect
- ✓ Pro-Moly
- ✓ Pro-Copper
- ✓ Pro-Complex
- ✓ Pro-46

Sockets

- ✓ We stock the largest range of impact sockets in the UK ranging up to 303mm (12" AF)
- ✓ Impact sockets from HTL are crafted from the highest quality material
- ✓ Constructed and forged from one piece for the most rigorous use in industry



Training

- ✓ Our team of experienced instructors deliver approved and accredited courses at our dedicated training centres or at client's premises
- ✓ Over 15 ECITB Approved Courses
- ✓ Full Suite of 9 ECITB TMJI Tests
- ✓ NEBOSH & IOSH Approved Health and Safety Courses
- ✓ GWO Approved BTT Training courses
- ✓ Bespoke courses to suit specific requirements

GLOBAL EXCELLENCE IN CONTROLLED BOLTING SOLUTIONS



HTL Group Ltd
45 Colbourne Avenue,
Nelson Park Industrial Estate,
Cramlington, Northumberland,
NE23 1WD

Telephone: +44 (0) 1670 700 000

Email: info@htlgroup.com

Visit: www.htlgroup.com

